Since 1968

COMMAX
SmartHome & Security

User Manual

Audio Phone AP-2SAG

www.commax.com

COMMAX Co.,Ltd.

- Thank you for purchasing COMMAX products.
- Please carefully read this User's Guide (in particular, precautions for safety) before using a product and follow instructions to use a product exactly.
- The company is not responsible for any safety accidents caused by abnormal operation of the product.

Contents

1. Introduction 2

2. Important Safeguards 3

3. Part Names.....4

4. Wiring 5

5. Installation 6

6. Caution 6

7. Operation 7

8. Specification 8

1. Introduction

Your unit is designed so it can be flush mounted on the or used. When flush mounted on the wall, the stand permils you to the unit for an gular of unit view. The model number is located on the bottom and record the serial number in the space provided below(available). Refer to these numbers whenever you call upon your COMMAX dealer regarding this product.

Model No. Serial No.

To prevent fire or shock hazard, do not expose the unit to rain or moisture.

This symbol is intended to alert the use to the presence of uninsulated **"dangerous Voltage"** within the product' s enclose that may be of sufficient magnitude to constitute a risk of electric shock to persons.

This symbol is intended to alert the use to the presence of important operating and maintemance(servicing) instructions in the literature accompanying the appliance

caution

Rosk of electric shock
do not open

CAUTION: To reduce the risk of electrix shick, do not remove cover(or back) no user-serviceable part sinside refer servicing to quaured service personnel

2. Important Safeguards

▲ **Damage Requiring Service**: This equipment from the power source and source and refer servicing to qualified service personnel under the following conditions:

ⓐ when the power is damaged.

ⓑ if liquid has been spiled or objects have hallen into the unit

ⓒ if the equipment has been exposed to rain or water.

ⓓ if the equipment has beem dropped or otherwise damaged.

ⓔ when the equipment exhibits a distinct change in performance- this indicates a need for service.

▲ **Water and Moisture**: Do not use this product near water, for example, near a bath tub, wash bowl, kitchen sink, or laundru tub, in a wet basement, or near a swimming pool, and the like.

▲ **Accessories**: The product may fall, causing serious injury to a child or adult, and serious damage to the appliance. Any mounting of the manufacture' s insturctions, and should use a mounting accessory recommended by the manufacturer.

▲ **Object and Liquid Entry**: Never push objects of any kind into this product through openings as they may touch dangerous voltage points or short-out parts that could result in a fire or electric shock. Never spill liquid of any kind on the product.

▲ **Lightning**: For added protection for this product before a lihgtning storm, or when it is left un attached and un used for long periods of time, unplug it from the wall outlt and disconnect the other system. This will prevent damage to the product due to lightming and power-line surges. If you live in an ared heavily prone to lightning stoms, it is recommended that you invest in power-line, telephone-line, RFcable and actuator/ polarization surge protectors to protect your appliance system from possiple damage

3. Part names



①	Handset
②	HOOK switch
③	Door release button
④	S-CORD

4. Wiring

Non polarity



5. Installation



6. Caution

- It is only available with wall mount-type, not for desk type.
- Please do not install the product in the following place.

  ➜ Where there is much humidity and big difference in temperature.

  ➜ Where there is much sunlight and rain.

  ➜Where there is much vapor and gas.

7. Operation

Call from a lobby phone

- When the lobby phone pages, you can hear the ring tone.
- When you pick up the handset, you can talk to a visitor at the lobby phone.
- You can open the door if you press the door release button or hook switch while you are talking to a visitor at the lobby phone.
- When you finish the call, please hang up.

Call from a security station

- When the security station pages, you can hear the melody.
- When you pick up the handset, you can talk to security.
- When you finish the call, please hang up.

Call a security station

- When you pick up the handset, it pages the security station automatically. At that time, you can hear the recall sound from the handset.
- When the security station answers your call, you can talk to security.
- If you want to talk to other household units, the security station can transfer your call during the call with security.
- When you finish the call, please hang up.

8. Specification

specification \ Model	AP-2SAG
Power source	12V ⎓ (From floor distributor)
Transmission	2 wires with non-polarity
Paging sound	Lobby : Electric chime bell, Guard : Melody
Distance	100m(0.65Ø)
Operation Temp.	0°C ~ +40°C
Dimension(mm)	With handset : 70(W) x 210(H) x 60(D)

COMMAX

COMMAX Co.,Ltd.

513-11, Sangdaewon-dong, Jungwon-gu, Seongnam-si, Gyeonggi-do, Korea
Int'l Business Dept. : Tel.; +82-31-7393-540~550 Fax.; +82-31-745-2133
Web site : www.commax.com

Printed In Korea / 2013.12.105